




	Val	X(mm)	Y(mm)
1	10*	15	16
2	7	-162	94
3	8	87	-63
4	9	88	-26
5	10*	-13	13
6	9	-2	82
7	8	-99	44
8	9	88	9
9	8	122	48
10	9	-64	33
		87-2*	




	Val	X(mm)	Y(mm)
1	8	141	-0
2	9	-46	30
3	7	-148	116
4	8	2	104
5	8	139	10
6	9	92	30
7	5	-190	172
8	8	14	-139
9	6	231	37
10	9	33	-75
		77-0*	




	Val	X(mm)	Y(mm)
1	8	135	12
2	10	-23	19
3	9	53	28
4	9	86	10
5	10*	3	-17
6	9	-59	16
7	10	2	32
8	10*	-15	-18
9	9	36	75
10	8	148	12
92-2*			




	Val	X(mm)	Y(mm)
1	10	39	0
2	9	6	-77
3	9	22	-81
4	8	-52	-108
5	10*	-2	-8
6	10*	10	-8
7	8	120	-38
8	9	86	-58
9	9	55	-15
10	9	54	13
91-2*			




Val	X(mm)	Y(mm)
1	10	48 0
2	7	-145 77
3	7	-113 -130
4	7	-83 167
5	10*	-4 -25
6	4	292 -111
7	8	-83 64
8	8	24 124
9	7	111 -107
10	6	117 169
74-1*		




Val	X(mm)	Y(mm)
1	8	-71 118
2	5	261 -63
3	8	71 -120
4	2	373 -255
5	7	149 -109
6	7	110 -130
7	9	-20 51
8	7	27 -170
9	4	313 -48
10	8	22 -108
65-0*		




	Val	X(mm)	Y(mm)
1	8	-104	-76
2	8	67	-111
3	8	-37	120
4	9	-37	-56
5	10	8	47
6	8	-86	89
7	8	-2	127
8	8	32	-136
9	8	-37	-107
10	8	-96	-98
83-0*			



	Val	X(mm)	Y(mm)
1	5	197	-169
2	7	60	-178
3	10	-36	10
4	9	56	-57
5	9	3	-99
6	8	111	36
7	6	-212	113
8	8	-108	15
9	8	118	-64
10	9	-101	-12
79-0*			




	Val	X(mm)	Y(mm)
1	10	2	-30
2	7	32	151
3	8	44	141
4	7	100	-142
5	8	-52	103
6	8	-3	-129
7	8	83	-110
8	10	26	-40
9	9	65	15
10	9	85	-56
84-0*			




	Val	X(mm)	Y(mm)
1	9	-79	-33
2	8	86	-87
3	10	23	39
4	9	-89	-26
5	8	-132	3
6	10	-33	-35
7	9	68	-11
8	9	28	-87
9	8	113	59
10	9	-11	85
89-0*			

17




	Val	X(mm)	Y(mm)
1	10	-11	-37
2	9	-58	-41
3	9	34	-73
4	8	22	113
5	9	53	-10
6	9	16	-95
7	9	47	66
8	10	27	22
9	9	-7	89
10	10	48	9
92-0*			

17




	Val	X(mm)	Y(mm)
1	10	4	-38
2	8	117	30
3	10	19	45
4	9	73	-12
5	9	-19	-67
6	8	102	-19
7	8	105	-20
8	10	-20	-22
9	9	-96	-11
10	9	-87	-41
90-0*			

23




	Val	X(mm)	Y(mm)
1	7	-104	126
2	8	111	-37
3	10*	-23	-12
4	9	-50	-74
5	8	119	-51
6	9	-44	43
7	7	-92	-150
8	9	-47	65
9	5	41	-253
10	1	433	-149
73-1*			

23¹




	Val	X(mm)	Y(mm)
1	9	29	-47
2	8	-82	-75
3	9	92	-18
4	10	-29	40
5	9	-0	98
6	9	-81	-21
7	5	253	-63
8	8	38	-112
9	8	-141	37
10	5	269	-129
80-0*			

23




Val	X(mm)	Y(mm)
1	8	71 -103
2	9	-63 -34
3	9	-72 2
4	10	-30 -38
5	7	151 68
6	10	24 39
7	10	43 3
8	8	-74 75
9	8	-109 57
10	9	-29 81
88-0*		

23 5




Val	X(mm)	Y(mm)
1	9	-13 -90
2	9	71 -4
3	9	47 42
4	9	51 67
5	8	-118 -1
6	9	47 -76
7	7	160 50
8	9	52 -32
9	9	38 57
10	9	75 -12
87-0*		

25




Val	X(mm)	Y(mm)
1	3	-83 -345
2	7	67 -174
3	8	94 92
4	1	420 -269
5	7	153 -69
6	1	458 -1
7	5	242 -107
8	5	264 -74
9	4	245 -218
10	4	344 33
45-0*		


25



Val	X(mm)	Y(mm)
1	6	194 -139
2	0	229 -476
3	10	-52 7
4	8	88 61
5	9	-11 -90
6	4	228 232
7	7	86 -170
8	5	248 -115
9	10	20 -44
10	10	32 -0
69-0*		




	Val	X(mm)	Y(mm)
1	10	8	36
2	9	53	72
3	7	188	-54
4	9	-75	-45
5	8	-85	-98
6	8	-70	101
7	10*	2	-11
8	7	83	167
9	6	-52	-206
10	10*	5	24
84-2*			




	Val	X(mm)	Y(mm)
1	9	-69	-13
2	10	42	-9
3	9	87	55
4	7	-102	118
5	9	-83	45
6	8	110	88
7	9	47	-55
8	10	42	25
9	8	-78	-98
10	9	36	-65
88-0*			

26




Val	X(mm)	Y(mm)
1	4	-240 -256
2	7	189 -31
3	8	-4 -124
4	7	160 30
5	6	-41 212
6	7	-177 -38
7	8	-147 3
8	4	135 -325
9	5	86 282
10	5	-281 10
61-0*		


26



Val	X(mm)	Y(mm)
1	4	-255 206
2	5	203 -170
3	4	-305 117
4	8	-88 84
5	8	-8 115
6	6	231 -11
7	8	-19 -104
8	2	-420 79
9	7	9 -203
10	1	-383 -302
53-0*		




Val	X(mm)	Y(mm)
1	10	23 47
2	9	70 66
3	8	-110 46
4	9	-45 63
5	9	-66 -59
6	6	198 149
7	9	5 -64
8	9	57 24
9	10*	-17 19
10	8	-90 83
87-1*		




Val	X(mm)	Y(mm)
1	9	-60 17
2	5	-2 257
3	8	-60 115
4	8	19 -113
5	8	91 -71
6	10	-27 -34
7	10*	13 -10
8	7	197 4
9	9	-71 -36
10	10	-27 36
84-1*		

32




Val	X(mm)	Y(mm)
1	5	214 -171
2	7	153 131
3	5	232 111
4	4	-316 -39
5	7	143 85
6	8	117 71
7	8	93 -75
8	3	-137 -335
9	10	-33 43
10	8	-88 59
65-0*		

32




Val	X(mm)	Y(mm)
1	6	239 -6
2	5	246 -65
3	6	207 33
4	6	-53 226
5	6	217 -40
6	5	260 120
7	8	100 -56
8	8	-102 108
9	8	62 88
10	9	12 86
67-0*		

32




	Val	X(mm)	Y(mm)
1	8	119	46
2	8	-108	-25
3	8	93	48
4	10	51	14
5	10*	-16	22
6	9	40	-53
7	10*	14	-15
8	8	-153	-6
9	7	-150	60
10	10*	13	-4
88-3*			

32




	Val	X(mm)	Y(mm)
1	9	61	-33
2	10	-40	-30
3	9	-32	-79
4	9	51	30
5	8	-121	68
6	10	10	44
7	10*	-2	9
8	9	0	55
9	9	-53	-33
10	9	-18	72
92-1*			

33




	Val	X(mm)	Y(mm)
1	9	-20	-71
2	8	102	-88
3	9	49	-79
4	8	-101	37
5	10	-13	42
6	10	-40	-21
7	10	-35	36
8	10	-6	36
9	9	-94	10
10	9	-92	24
92-0*			

33




	Val	X(mm)	Y(mm)
1	10	31	8
2	9	-82	32
3	10	-9	-45
4	9	-69	17
5	9	-32	49
6	9	29	-92
7	10*	7	-0
8	10	-47	-12
9	8	-124	-67
10	8	-138	5
92-1*			

34




	Val	X(mm)	Y(mm)
1	10	-32	4
2	8	35	-115
3	10*	-4	-4
4	10	-31	-14
5	9	28	52
6	10*	11	-20
7	9	-44	45
8	10*	3	-6
9	10	2	52
10	9	55	50
95-3*			

34




	Val	X(mm)	Y(mm)
1	10	36	14
2	10	30	9
3	9	-4	61
4	8	114	-60
5	9	84	-37
6	9	70	-39
7	9	-9	61
8	9	-0	-60
9	10	16	37
10	9	65	18
92-0*			

34




	Val	X(mm)	Y(mm)
1	8	141	16
2	9	49	-48
3	10	39	-10
4	8	-15	-109
5	10	44	-23
6	10*	4	7
7	10	14	30
8	10*	-3	1
9	10	4	-44
10	10*	-8	-27
95-3*			


34




	Val	X(mm)	Y(mm)
1	9	-75	-38
2	10*	-4	-6
3	9	35	-46
4	10*	1	-18
5	10	-35	-4
6	9	69	4
7	10	-16	-32
8	9	40	74
9	10	4	33
10	10*	21	15
96-3*			




	Val	X(mm)	Y(mm)
1	7	95	130
2	7	70	153
3	0	0	0
4	6	220	63
5	7	-12	158
6	6	210	126
7	6	-181	123
8	9	69	-14
9	6	218	-31
10	7	142	138
61-0*			



	Val	X(mm)	Y(mm)
1	6	92	-217
2	6	211	12
3	5	265	54
4	6	189	125
5	10*	21	-18
6	8	127	1
7	9	79	-44
8	6	206	93
9	0	457	-356
10	9	-18	52
65-1*			




	Val	X(mm)	Y(mm)
1	9	56	26
2	9	-62	-25
3	8	0	-144
4	8	99	-90
5	6	-170	164
6	10	-7	-43
7	9	68	19
8	9	-72	20
9	7	172	41
10	9	55	-52
84-0*			




	Val	X(mm)	Y(mm)
1	8	130	-13
2	10*	-25	3
3	7	164	43
4	8	97	-46
5	9	62	-30
6	8	59	116
7	10	-2	50
8	10*	-3	-23
9	8	19	105
10	8	25	132
86-2*			

36




	Val	X(mm)	Y(mm)
1	10	-37	-10
2	10	-16	43
3	10	-7	50
4	9	96	5
5	9	29	-55
6	9	-66	44
7	9	-65	21
8	10	12	36
9	9	93	-5
10	10	-40	29
	95-0*		


36




	Val	X(mm)	Y(mm)
1	9	41	53
2	8	-43	124
3	10*	-13	-19
4	8	56	95
5	9	-28	52
6	8	122	42
7	9	94	-6
8	9	-25	98
9	10	33	10
10	10	-44	19
	90-1*		




	Val	X(mm)	Y(mm)
1	10*	10	23
2	10*	-18	4
3	9	-56	-21
4	10*	-11	-21
5	10	-23	18
6	9	49	-75
7	10*	-15	15
8	10	-15	-38
9	10*	23	17
10	9	-38	-72
97-5*			




	Val	X(mm)	Y(mm)
1	10	-13	38
2	10	-3	-30
3	10	-35	11
4	10	-33	-12
5	9	2	-77
6	10	-30	1
7	10	42	-12
8	10*	7	8
9	10	-17	-24
10	9	-88	-49
98-1*			




	Val	X(mm)	Y(mm)
1	10	-22	25
2	10	40	-9
3	8	45	108
4	9	28	-55
5	7	-176	12
6	9	44	-45
7	8	-46	99
8	7	-157	92
9	8	-129	-62
10	9	-25	-55
85-0*			



	Val	X(mm)	Y(mm)
1	9	-87	-7
2	8	49	109
3	8	96	-75
4	9	35	64
5	9	61	-48
6	9	94	-14
7	10	8	48
8	10*	-8	-27
9	9	-70	69
10	10*	-14	-4
91-2*			



	Val	X(mm)	Y(mm)
1	10	-26	-41
2	10*	21	8
3	8	-104	-108
4	9	23	-49
5	8	147	1
6	7	-155	-67
7	10	-27	-21
8	9	-93	16
9	10*	-3	-14
10	10	37	2
91-2*			



	Val	X(mm)	Y(mm)
1	10	45	13
2	9	-84	-47
3	10	45	-17
4	9	-65	-50
5	9	-58	8
6	10	-13	-44
7	8	135	-29
8	9	-15	90
9	8	-124	34
10	9	71	-42
91-0*			