




	Val	X(mm)	Y(mm)
1	8	-29	105
2	10	1	46
3	8	-70	95
4	10	-32	24
5	10	-3	37
6	9	-26	52
7	10	34	-14
8	8	121	-83
9	9	16	-81
10	8	85	-97
90-0*			



	Val	X(mm)	Y(mm)
1	8	114	-8
2	9	53	17
3	8	48	-119
4	10	-40	-14
5	10*	-10	23
6	8	51	-128
7	10*	5	-5
8	8	71	-86
9	9	-58	46
10	10	-33	-6
90-2*			




	Val	X(mm)	Y(mm)
1	9	-64	-53
2	9	17	-84
3	9	46	40
4	9	14	-66
5	10*	-0	16
6	10	-9	-34
7	9	-61	-44
8	8	-119	-37
9	10*	-1	-26
10	7	-172	-60
90-2*			




	Val	X(mm)	Y(mm)
1	10*	-13	5
2	10	39	-2
3	8	-107	-52
4	8	-149	-3
5	9	67	-40
6	10	47	-10
7	8	103	-21
8	8	104	-27
9	9	76	-52
10	10	-49	-8
90-1*			

5




	Val	X(mm)	Y(mm)
1	10	-16	29
2	10	15	-35
3	10	10	-28
4	10*	-16	18
5	10	37	3
6	10*	-6	11
7	9	-61	21
8	10	-19	42
9	10	41	9
10	10	-15	41
99-2*			

5




	Val	X(mm)	Y(mm)
1	9	63	57
2	10*	5	14
3	10	28	-34
4	10	-32	11
5	10	-51	-4
6	10	37	-28
7	10	38	-4
8	9	78	15
9	10*	-17	-8
10	10	-33	12
98-2*			

5




	Val	X(mm)	Y(mm)
1	10	-45	2
2	10	-51	10
3	9	-49	46
4	9	85	23
5	10	-32	9
6	9	67	-5
7	9	48	48
8	10	-50	12
9	9	76	-15
10	9	-6	72
94-0*			


5




	Val	X(mm)	Y(mm)
1	9	-1	57
2	10	23	-27
3	9	-47	81
4	10	-22	-43
5	10	2	40
6	10	-23	-32
7	10*	19	-16
8	9	46	-58
9	10*	1	-21
10	10*	-5	-26
97-3*			




	Val	X(mm)	Y(mm)
1	10	18	31
2	10*	-18	-19
3	10	29	-36
4	10	-12	-48
5	10	-32	-17
6	9	38	62
7	10	-26	-19
8	8	101	-93
9	10	12	-38
10	10*	-21	-19
97-2*			



	Val	X(mm)	Y(mm)
1	10	49	-10
2	9	56	25
3	10*	18	17
4	9	77	17
5	10*	3	-14
6	10*	-11	-22
7	10*	-26	-4
8	10	52	-12
9	10	29	-31
10	10	41	-34
98-4*			




	Val	X(mm)	Y(mm)
1	10	-45	19
2	9	64	40
3	9	47	-29
4	10	-23	38
5	10*	-27	8
6	8	70	-91
7	10	-53	6
8	10	48	-1
9	8	-72	124
10	9	18	-101
93-1*			




	Val	X(mm)	Y(mm)
1	10	33	-6
2	10	-27	46
3	10	39	10
4	9	-80	-44
5	2	365	-225
6	10	-16	-37
7	8	56	-107
8	9	-21	-54
9	9	63	-29
10	9	23	-52
86-0*			

7




	Val	X(mm)	Y(mm)
1	10	32	-6
2	9	59	14
3	10	7	32
4	10*	-19	1
5	10*	1	16
6	9	72	-32
7	10	-35	-19
8	9	10	54
9	9	-47	-88
10	10	8	42
96-2*			

7




	Val	X(mm)	Y(mm)
1	10*	21	-17
2	10*	5	-1
3	10*	11	-4
4	9	-1	-63
5	10*	6	-7
6	9	74	4
7	10*	3	17
8	9	-55	-1
9	9	97	5
10	9	-31	-50
95-5*			

7




	Val	X(mm)	Y(mm)
1	9	85	-57
2	10	45	3
3	10	3	31
4	10*	10	-2
5	10	31	17
6	10	-31	-7
7	10*	0	-19
8	10*	5	10
9	9	-74	6
10	9	51	-32
97-3*			

7




	Val	X(mm)	Y(mm)
1	9	75	-24
2	10*	11	-5
3	10	14	-40
4	10	-12	26
5	9	62	30
6	9	61	-65
7	10*	-11	-7
8	10*	12	-20
9	9	53	-32
10	9	52	-39
95-3*			







	Val	X(mm)	Y(mm)
1	8	-146	9
2	9	-90	9
3	9	-91	49
4	10	20	47
5	9	-49	-36
6	10	-37	4
7	10	-37	-32
8	9	-99	-18
9	9	52	85
10	9	-4	-61
	92-0*		




	Val	X(mm)	Y(mm)
1	8	90	106
2	10	-29	-29
3	9	80	-21
4	9	-72	66
5	10	13	37
6	10*	4	-14
7	10	-6	43
8	9	-71	56
9	10	25	-40
10	9	-101	-6
	94-1*		




	Val	X(mm)	Y(mm)
1	8	-111	56
2	9	81	-57
3	9	56	68
4	10*	13	6
5	7	-121	113
6	9	-81	-12
7	9	-69	50
8	10*	28	-2
9	8	-99	52
10	10*	7	-25
89-3*			




	Val	X(mm)	Y(mm)
1	10	47	10
2	10	-35	27
3	10*	-14	16
4	9	-60	-7
5	9	-38	51
6	10*	11	6
7	9	-65	6
8	10	17	-36
9	8	-97	37
10	9	-34	-47
94-2*			




	Val	X(mm)	Y(mm)
1	10*	-5	-8
2	9	10	56
3	3	280	-234
4	9	14	76
5	10	6	-44
6	10*	14	9
7	8	109	105
8	10	30	24
9	10	38	21
10	9	-14	-66
88-2*			



	Val	X(mm)	Y(mm)
1	9	30	75
2	10	-17	33
3	8	-61	87
4	9	-62	73
5	9	-24	68
6	8	-87	68
7	9	-0	73
8	9	-0	-60
9	10*	3	-8
10	9	66	-2
90-1*			




	Val	X(mm)	Y(mm)
1	8	94	-81
2	8	117	44
3	10	30	-25
4	10	49	-1
5	9	32	-46
6	8	104	72
7	9	-52	65
8	10*	1	-22
9	9	71	59
10	8	108	85
89-1*			




	Val	X(mm)	Y(mm)
1	9	-28	96
2	9	30	76
3	8	40	97
4	10*	13	25
5	9	11	67
6	9	85	-40
7	7	-136	-93
8	10*	-2	-9
9	9	81	-49
10	9	31	61
89-2*			

11




	Val	X(mm)	Y(mm)
1	8	95	100
2	7	-107	-118
3	8	107	-49
4	4	-13	-314
5	6	-138	-168
6	8	-8	-112
7	10*	10	-8
8	5	-219	-140
9	9	-81	-55
10	7	-62	-151
72-1*			

11




	Val	X(mm)	Y(mm)
1	7	-68	-147
2	8	-94	-88
3	8	-142	45
4	9	-60	36
5	9	-71	42
6	9	-86	15
7	8	-134	-70
8	8	118	-41
9	8	-93	-54
10	9	17	-53
83-0*			




	Val	X(mm)	Y(mm)
1	8	-55	102
2	10*	14	-5
3	9	14	84
4	8	-112	-62
5	6	-148	153
6	9	-89	-32
7	8	91	108
8	7	-113	156
9	9	-66	78
10	7	-174	53
81-1*			



	Val	X(mm)	Y(mm)
1	9	-63	-8
2	10	18	24
3	8	-96	98
4	6	-211	-100
5	7	-1	-167
6	6	-186	-124
7	8	-98	-105
8	4	-301	-93
9	9	-14	-69
10	8	-74	-106
75-0*			




	Val	X(mm)	Y(mm)
1	9	96	3
2	8	-69	117
3	8	82	-75
4	7	6	-160
5	9	84	49
6	0	0	0
7	5	201	-159
8	7	125	-152
9	8	109	-54
10	9	24	48
70-0*			




	Val	X(mm)	Y(mm)
1	9	-1	74
2	10	44	-28
3	2	228	-381
4	9	-19	-74
5	10	-26	21
6	9	81	-22
7	5	256	-135
8	10*	-8	19
9	2	302	-339
10	8	1	146
74-1*			

12



	Val	X(mm)	Y(mm)
1	9	0	87
2	10	-37	12
3	9	53	45
4	10*	-12	17
5	10	41	-35
6	10	34	20
7	9	78	-10
8	10*	0	6
9	9	57	46
10	9	83	42
95-2*			


12 5



	Val	X(mm)	Y(mm)
1	7	130	98
2	9	-63	9
3	10	33	24
4	10	44	-22
5	9	81	36
6	9	90	-51
7	10	-4	50
8	10*	4	7
9	10	40	-29
10	9	43	61
93-1*			




14




	Val	X(mm)	Y(mm)
1	10	30	-31
2	9	50	22
3	10	51	-18
4	9	48	-78
5	10*	-21	-5
6	10*	-19	1
7	10*	-23	10
8	10*	-7	-3
9	9	70	-4
10	9	-27	-69
96-4*			

14




	Val	X(mm)	Y(mm)
1	10	3	-40
2	10*	25	-11
3	10*	-16	-17
4	9	-73	-11
5	9	61	-18
6	9	66	36
7	8	-79	-73
8	10	-14	-35
9	10*	-5	-7
10	10	3	-41
95-3*			

14




	Val	X(mm)	Y(mm)
1	10	-32	18
2	9	94	37
3	10	26	17
4	9	-64	-5
5	9	-70	-51
6	9	-55	-30
7	10	51	-13
8	10*	22	15
9	9	73	33
10	10	-2	-43
95-1*			

14




	Val	X(mm)	Y(mm)
1	10*	22	-11
2	9	54	48
3	10	15	27
4	10*	-23	11
5	10	16	-26
6	10	10	31
7	10	-29	45
8	10	-23	-42
9	10	-10	-47
10	10	14	-29
99-2*			

17




	Val	X(mm)	Y(mm)
1	9	18	54
2	10	-3	-41
3	9	40	64
4	10	27	29
5	8	82	82
6	10	17	40
7	10*	18	2
8	10	33	35
9	10	-17	-35
10	10	24	34
96-1*			


17



	Val	X(mm)	Y(mm)
1	9	-8	-98
2	10*	7	-2
3	10*	6	20
4	10	-23	-48
5	10*	-10	-16
6	10	22	46
7	9	-36	53
8	8	-35	99
9	9	76	-4
10	8	-21	-123
93-3*			




	Val	X(mm)	Y(mm)
1	9	-68	-69
2	10*	-1	-12
3	10	-9	-30
4	10	35	-0
5	10	27	15
6	10*	17	-5
7	10	-28	-46
8	10*	5	-21
9	10	34	-5
10	9	29	47
98-3*			




	Val	X(mm)	Y(mm)
1	9	-8	59
2	10	-40	-4
3	10	14	31
4	10*	-20	8
5	9	-29	62
6	9	-47	-71
7	9	14	54
8	9	15	-54
9	6	11	-228
10	10	-35	-17
91-1*			

17




	Val	X(mm)	Y(mm)
1	10*	-6	15
2			
3			
4			
5			
6			
7			
8			
9			
10			
10-1*			


19



	Val	X(mm)	Y(mm)
1	9	6	73
2	9	-53	70
3	9	-27	60
4	10	15	-46
5	10*	9	-3
6	10*	5	6
7	10	-28	30
8	9	59	9
9	10	17	-32
10	10	-44	26
96-2*			




	Val	X(mm)	Y(mm)
1	10	-41	11
2	10	-49	16
3	10	-50	15
4	10	-22	-47
5	10*	-4	3
6	9	75	28
7	9	-42	38
8	10*	16	-17
9	10*	-10	-20
10	10	-25	47
98-3*			




	Val	X(mm)	Y(mm)
1	10	51	11
2	10	-13	30
3	10*	-3	-3
4	10	-8	-36
5	10*	16	-1
6	9	72	-37
7	8	137	42
8	10*	3	21
9	10*	2	5
10	10	37	-38
97-4*			

19




	Val	X(mm)	Y(mm)
1	10*	17	18
2	9	44	-71
3	10	11	38
4	9	58	6
5	9	-54	-48
6	10*	20	5
7	9	50	62
8	10	-35	15
9	10*	1	8
10	10	-5	31
96-3*			

20




	Val	X(mm)	Y(mm)
1	9	51	-84
2	10*	-23	-14
3	8	-52	115
4	8	-93	103
5	9	25	70
6	10	32	-3
7	8	82	-69
8	9	-23	52
9	9	36	59
10	8	101	-65
88-1*			

20




	Val	X(mm)	Y(mm)
1	10	-13	48
2	9	54	22
3	10*	7	-6
4	10	-19	-43
5	10	11	-49
6	9	48	-84
7	9	-12	-55
8	10*	12	2
9	9	-37	69
10	10*	0	4
96-3*			

22




	Val	X(mm)	Y(mm)
1	9	-32	-60
2	9	-16	72
3	6	35	-209
4	10	-5	-33
5	10	-12	36
6	9	9	-55
7	9	-13	85
8	8	-94	-66
9	9	-71	-21
10	9	30	63
88-0*			







	Val	X(mm)	Y(mm)
1	10*	-5	9
2	10	28	11
3	10*	-2	5
4	10	34	16
5	10*	14	12
6	9	-74	-8
7	9	46	-72
8	4	-273	-149
9	7	-14	-164
10	9	-96	-33
88-3*			



	Val	X(mm)	Y(mm)
1	8	-72	115
2	10	37	32
3	10	10	-32
4	9	17	-76
5	10	-14	47
6	10*	-26	7
7	10	11	-53
8	9	-87	-39
9	8	123	-83
10	10	-33	20
94-1*			




	Val	X(mm)	Y(mm)
1	9	24	-83
2	9	65	50
3	9	-86	-48
4	10	-0	-53
5	9	97	-21
6	0	0	0
7	10	38	-5
8	9	-53	-25
9	10	-5	47
10	6	146	-168
81-0*			




	Val	X(mm)	Y(mm)
1	9	-60	-55
2	8	63	109
3	9	64	13
4	9	68	20
5	8	-7	134
6	9	-93	38
7	10	-20	32
8	8	-76	107
9	9	92	-18
10	9	67	68
88-0*			

23




	Val	X(mm)	Y(mm)
1	10	32	-17
2	9	66	52
3	10*	-24	5
4	10	-11	29
5	9	-58	12
6	9	-70	4
7	8	85	62
8	9	57	8
9	10*	-27	2
10	10*	-10	5
94-3*			

23




	Val	X(mm)	Y(mm)
1	9	-60	-0
2	9	-60	-22
3	8	100	108
4	10	32	-38
5	10*	-5	5
6	9	-65	-18
7	9	70	70
8	10*	-6	-4
9	9	32	-44
10	10	36	15
93-2*			

23




	Val	X(mm)	Y(mm)
1	10	-35	14
2	10*	-0	1
3	9	37	-57
4	9	47	30
5	10	-40	19
6	10	11	41
7	9	-65	32
8	10*	-28	0
9	10	-33	7
10	9	-61	-24
96-2*			


25




	Val	X(mm)	Y(mm)
1	9	-80	-22
2	10	24	-27
3	9	-36	-62
4	8	116	-37
5	9	80	-28
6	7	149	-58
7	10*	-25	-5
8	8	98	-67
9	8	128	60
10	10	25	37
88-1*			




	Val	X(mm)	Y(mm)
1	7	155	-32
2	10	-14	-52
3	10*	-14	12
4	9	40	-44
5	7	110	-125
6	7	188	11
7	8	-46	142
8	9	-33	84
9	8	-24	106
10	6	195	113
81-1*			



	Val	X(mm)	Y(mm)
1	7	176	101
2	9	-13	-59
3	9	-79	59
4	9	-27	87
5	10*	15	21
6	8	113	-95
7	8	-106	-67
8	8	101	-73
9	8	11	154
10	10*	3	-21
86-2*			




	Val	X(mm)	Y(mm)
1	7	153	95
2	8	-38	-121
3	8	116	20
4	7	1	192
5	8	35	-114
6	9	54	55
7	10	47	-14
8	10	2	-51
9	10	-16	35
10	10	30	10
87-0*			




	Val	X(mm)	Y(mm)
1	9	34	63
2	10	16	-28
3	10	48	22
4	9	76	-1
5	10	45	13
6	10	-23	22
7	10	-30	16
8	8	8	-118
9	10	38	28
10	10*	-12	-21
96-1*			

26




	Val	X(mm)	Y(mm)
1	10	-19	44
2	10*	3	-27
3	10*	-4	-10
4	10	-22	-21
5	9	-25	-65
6	9	-21	-54
7	9	64	13
8	10	-29	7
9	10*	-7	-8
10	10*	-7	-14
97-4*			

26




	Val	X(mm)	Y(mm)
1	9	26	67
2	9	-76	29
3	10*	-21	15
4	10*	-24	-1
5	8	106	90
6	10	-42	30
7	9	67	-24
8	9	58	30
9	9	47	30
10	10	45	-9
93-2*			

26



	Val	X(mm)	Y(mm)
1	10	11	-29
2	9	62	-5
3	9	-50	22
4	9	-19	-67
5	9	14	-58
6	9	62	59
7	10	26	19
8	10*	-8	-8
9	9	-62	22
10	10	39	15
94-1*			


29



	Val	X(mm)	Y(mm)
1	9	42	43
2	10	46	-21
3	10*	21	-9
4	10	-18	-45
5	10	-7	-50
6	10	-16	-44
7	10*	17	9
8	10	-48	9
9	10	26	-17
10	10	35	-11
99-2*			




29




	Val	X(mm)	Y(mm)
1	10	17	25
2	10	-32	12
3	10	-6	43
4	10	21	49
5	9	-48	-30
6	10	-16	39
7	9	57	-9
8	10	14	25
9	10	17	47
10	9	-44	33
97-0*			

29




	Val	X(mm)	Y(mm)
1	10	-43	-13
2	10	-40	32
3	9	11	61
4	9	68	78
5	10	30	33
6	10	30	34
7	10*	12	-22
8	9	49	45
9	10	50	-6
10	9	-59	-24
96-1*			

29




	Val	X(mm)	Y(mm)
1	9	64	49
2	10*	-8	3
3	10	2	33
4	8	-103	-63
5	9	-20	-74
6	10	-5	-41
7	9	65	-20
8	10*	20	-11
9	10	30	5
10	10	22	-33
95-2*			

32




	Val	X(mm)	Y(mm)
1	8	-96	111
2	9	-70	-57
3	8	-62	98
4	7	102	127
5	7	155	-68
6	9	-23	-80
7	9	-58	6
8	8	-115	38
9	4	-101	-291
10	9	18	54
78-0*			




	Val	X(mm)	Y(mm)
1	9	-85	-18
2	7	59	-176
3	9	72	-26
4	8	-141	-41
5	8	64	-83
6	9	-90	20
7	9	85	54
8	9	61	18
9	6	49	-198
10	10	-45	3
84-0*			

32




	Val	X(mm)	Y(mm)
1	9	-21	55
2	9	-27	-50
3	9	-68	-57
4	10	-6	-43
5	9	50	-23
6	9	5	61
7	10	-47	-19
8	9	80	23
9	9	64	-53
10	8	50	-94
91-0*			

32




	Val	X(mm)	Y(mm)
1	9	23	-62
2	9	-29	63
3	8	-49	-98
4	8	93	-80
5	8	102	-29
6	9	26	58
7	9	51	23
8	9	52	-68
9	8	3	-147
10	9	92	10
86-0*			

36




	Val	X(mm)	Y(mm)
1	10	-43	8
2	10	33	-40
3	10*	20	10
4	10	-10	39
5	10*	5	2
6	10	22	-31
7	9	-63	-28
8	10*	-7	-18
9	9	38	-53
10	10	-49	5
98-3*			

36




	Val	X(mm)	Y(mm)
1	10*	3	14
2	10*	17	11
3	10*	-22	-10
4	9	22	-54
5	10	43	-19
6	10	-35	-22
7	9	-49	27
8	10*	-6	24
9	10*	-1	-17
10	9	74	-29
97-5*			

36




	Val	X(mm)	Y(mm)
1	9	9	-57
2	10*	-16	-2
3	10	39	8
4	10	12	-41
5	10*	-20	-6
6	10	11	-34
7	10*	22	-12
8	10*	-8	-24
9	10*	-16	-6
10	9	-27	-53
98-5*			


36 D



	Val	X(mm)	Y(mm)
1	9	71	-4
2	10	-17	-24
3	10	-1	-47
4	10	15	26
5	10	-27	-38
6	10*	24	13
7	10	20	-27
8	10*	-3	-11
9	10*	-17	5
10	10*	2	-18
99-4*			




	Val	X(mm)	Y(mm)
1	6	203	-39
2	10	44	-10
3	10	17	40
4	9	101	16
5	8	-97	41
6	8	-98	-39
7	7	153	24
8	9	78	-35
9	8	104	-22
10	9	57	-6
84-0*			




	Val	X(mm)	Y(mm)
1	7	-139	-117
2			
3			
4			
5			
6			
7			
8			
9			
10			
7-0*			

38




Val	X(mm)	Y(mm)
1	10	-41 12
2	8	-99 74
3	9	-50 -34
4	9	-73 72
5	2	-264 -326
6	9	-26 -61
7	10*	-15 1
8	6	-149 -151
9	9	-52 59
10	9	50 91
81-1*		

38




Val	X(mm)	Y(mm)
1	9	-92 36
2	9	12 -86
3	9	-61 -78
4	9	80 40
5	10	32 -9
6	8	-1 -122
7	9	37 94
8	9	-27 77
9	9	92 -28
10	8	50 98
89-0*		





	Val	X(mm)	Y(mm)
1	8	82	-77
2	7	-15	-167
3	8	-13	-127
4	8	-52	-107
5	10*	-17	17
6	8	113	7
7	9	-49	-24
8	9	48	-41
9	8	-111	22
10	8	73	-123
83-1*			



	Val	X(mm)	Y(mm)
1	9	55	61
2	10	-52	8
3	10	-36	-6
4	9	-64	62
5	10	-8	-34
6	9	70	-24
7	10	-42	24
8	9	-66	41
9	8	-123	28
10	7	-136	89
91-0*			