



4




	Val	X(mm)	Y(mm)
1	9	71	11
2	9	52	-20
3	9	-52	46
4	10	-6	43
5	10*	14	20
6	9	-92	14
7	9	-56	-41
8	10	6	38
9	9	-86	12
10	10*	-11	21
94-2*			

4




	Val	X(mm)	Y(mm)
1	10	-30	-2
2	10	-17	39
3	9	62	-39
4	10*	11	-12
5	10	3	-43
6	9	78	-59
7	9	67	34
8	9	-54	-7
9	9	-43	-56
10	10*	-11	-9
95-2*			

4




	Val	X(mm)	Y(mm)
1	10*	-6	-18
2	9	-64	21
3	10*	-2	16
4	10	35	37
5	10	29	38
6	9	-82	47
7	9	20	80
8	10	-19	31
9	9	-93	15
10	9	-39	77
95-2*			


4




	Val	X(mm)	Y(mm)
1	9	-2	89
2	10	-32	34
3	9	-40	38
4	10	10	-52
5	10*	5	-20
6	10*	-1	26
7	9	26	48
8	9	-28	-84
9	9	-65	11
10	10	43	6
95-2*			




	Val	X(mm)	Y(mm)
1	10*	10	25
2	7	188	-44
3	9	2	54
4	10*	-11	13
5	10	-43	21
6	9	-36	-67
7	9	-79	-23
8	9	48	33
9	9	32	-44
10	7	-157	-110
89-2*			



	Val	X(mm)	Y(mm)
1	7	160	1
2	8	-122	48
3	7	-166	14
4	9	-8	-97
5	9	69	-24
6	10	-30	7
7	9	-20	-62
8	9	-89	-15
9	10	-39	2
10	10	-12	50
88-0*			




	Val	X(mm)	Y(mm)
1	9	-28	-47
2	9	-28	56
3	9	39	60
4	9	10	-67
5	10*	-8	-7
6	9	-43	53
7	10	-45	20
8	9	-6	-93
9	10	8	-49
10	10*	17	-6
94-2*			




	Val	X(mm)	Y(mm)
1	10	-7	-35
2	9	61	-79
3	8	-105	7
4	9	-67	-63
5	10*	1	22
6	10*	23	5
7	10	-38	15
8	9	-69	-64
9	3	-358	-127
10	9	86	-3
87-2*			

5




	Val	X(mm)	Y(mm)
1	10	37	-10
2	10	34	-11
3	9	-89	53
4	9	-60	12
5	10	-5	52
6	10*	-4	13
7	9	62	-28
8	10	34	22
9	10*	5	-7
10	9	70	36
96-2*			


5




	Val	X(mm)	Y(mm)
1	9	69	-26
2	10	32	18
3	9	64	-9
4	10	23	-48
5	9	49	-48
6	10*	-15	-8
7	10	-6	-38
8	10	35	12
9	10*	-14	-13
10	10*	12	7
97-3*			




	Val	X(mm)	Y(mm)
1	8	119	-12
2	9	-44	-41
3	10	-27	19
4	10	-9	-51
5	9	80	-1
6	7	80	-134
7	8	-115	-63
8	9	59	18
9	10	-7	-35
10	8	-107	-51
88-0*			



	Val	X(mm)	Y(mm)
1	9	-52	-46
2	8	8	-113
3	8	-112	-2
4	9	-43	-53
5	9	-74	21
6	10	40	-15
7	8	103	-35
8	9	-5	-55
9	9	69	12
10	9	87	37
88-0*			




	Val	X(mm)	Y(mm)
1	8	95	-69
2	10*	11	9
3	9	-94	-7
4	8	27	101
5	9	-78	-18
6	9	70	68
7	10*	13	-3
8	10*	8	-1
9	8	107	33
10	9	-4	-76
90-3*			




	Val	X(mm)	Y(mm)
1	10	50	-7
2	10	-23	-27
3	5	84	-276
4	10	-21	-24
5	8	118	19
6	10	-48	-13
7	10*	-4	-8
8	9	1	-57
9	10	-23	18
10	10	-48	20
92-1*			

6




	Val	X(mm)	Y(mm)
1	10*	-17	-14
2	10*	18	10
3	10*	-21	11
4	10	24	-42
5	10*	-0	-18
6	0	0	0
7	10*	15	-15
8	10	21	-29
9	10*	-11	23
10	10*	11	-13
90-7*			

6



	Val	X(mm)	Y(mm)
1	9	60	23
2	9	55	-24
3	10	-48	-1
4	10*	-11	20
5	9	-0	-62
6	10	-20	-23
7	10	-35	-24
8	10	-32	-25
9	10	30	-5
10	10*	-1	4
97-2*			







	Val	X(mm)	Y(mm)
1	9	-52	-31
2	8	125	42
3	10*	-0	-26
4	10	29	6
5	9	51	-53
6	8	86	95
7	10*	-11	8
8	10*	24	3
9	9	-51	67
10	9	55	-51
92-3*			



	Val	X(mm)	Y(mm)
1	10*	10	14
2	10	51	11
3	8	115	35
4	9	10	-66
5	10*	8	20
6	10	-13	51
7	9	-57	46
8	10	-43	15
9	9	6	85
10	10	50	-3
95-2*			




	Val	X(mm)	Y(mm)
1	9	41	-52
2	9	48	-60
3	9	57	-7
4	10	29	40
5	10	-32	-11
6	10	-36	-39
7	8	-112	15
8	10	-27	25
9	8	-102	39
10	9	-79	46
92-0*			




	Val	X(mm)	Y(mm)
1	9	-43	42
2	9	86	-39
3	10	31	10
4	9	-37	53
5	9	-56	-6
6	10*	23	16
7	10	43	21
8	10	26	47
9	10	16	47
10	10	21	23
96-1*			

7




	Val	X(mm)	Y(mm)
1	10*	-14	-25
2	10*	5	5
3	9	74	-12
4	9	46	-36
5	10	-36	34
6	10	-14	43
7	10	21	-41
8	9	-81	6
9	9	-52	-40
10	9	-44	-34
95-2*			


7




	Val	X(mm)	Y(mm)
1	10*	-6	-20
2	10*	21	6
3	10	-4	-42
4	10	-19	-43
5	10*	19	-1
6	10*	18	-14
7	9	-67	-18
8	10*	6	4
9	9	61	-20
10	10*	7	13
98-6*			



	Val	X(mm)	Y(mm)
1	9	85	-10
2	6	-13	233
3	9	-55	-46
4	9	56	-26
5	6	117	-187
6	10	-2	-37
7	9	64	2
8	8	93	-74
9	7	-162	22
10	8	125	46
81-0*			




	Val	X(mm)	Y(mm)
1	9	-50	67
2	7	121	-102
3	9	-10	-85
4	9	73	18
5	8	119	-72
6	9	-1	87
7	7	168	59
8	8	-2	130
9	8	72	-118
10	9	45	35
83-0*			




	Val	X(mm)	Y(mm)
1	10	19	24
2	10	-37	-21
3	9	21	-58
4	8	-81	-65
5	10*	-29	0
6	10	35	33
7	9	-4	-99
8	9	-6	-70
9	10	38	-14
10	9	16	-97
94-1*			




	Val	X(mm)	Y(mm)
1	9	65	-68
2	10	-22	-44
3	10	-43	4
4	9	50	-45
5	9	37	-83
6	9	-50	-30
7	10*	-14	5
8	9	20	60
9	10*	16	-18
10	10	-27	31
95-2*			




	Val	X(mm)	Y(mm)
1	10	-40	12
2	10*	18	-0
3	9	78	9
4	10	10	-33
5	10	21	24
6	10	-22	31
7	10	32	29
8	9	89	18
9	10	44	23
10	9	-38	-43
97-1*			




	Val	X(mm)	Y(mm)
1	10	48	15
2	5	-73	-262
3	9	85	-36
4	9	84	-10
5	9	-42	-81
6	10	33	-21
7	10*	-7	-13
8	9	-18	-76
9	10	-10	-35
10	10*	5	1
91-2*			




	Val	X(mm)	Y(mm)
1	8	95	-62
2	9	58	14
3	10*	17	-13
4	9	61	38
5	7	-117	130
6	9	75	-33
7	10	25	26
8	10*	-16	-11
9	8	-111	-11
10	8	-110	2
88-2*			



	Val	X(mm)	Y(mm)
1	10	31	4
2	9	-67	12
3	10*	-17	21
4	10	-15	45
5	9	76	42
6	9	42	-77
7	10	-45	2
8	9	-93	23
9	9	20	-75
10	7	152	-95
92-1*			




	Val	X(mm)	Y(mm)
1	9	64	-46
2	9	64	6
3	10	-31	-22
4	9	-89	2
5	9	-79	25
6	10*	11	-10
7	10	-37	-37
8	9	-84	-5
9	10*	-11	10
10	9	-97	-11
94-2*			




	Val	X(mm)	Y(mm)
1	10*	15	-6
2	9	51	-55
3	9	-81	-17
4	9	-76	-12
5	9	-80	-31
6	10	-31	7
7	8	-109	16
8	10*	1	-27
9	9	56	-18
10	10*	-11	-12
93-3*			






	Val	X(mm)	Y(mm)
1	10	8	-46
2	10*	-13	-17
3	10*	2	-26
4	10*	-19	11
5	10	21	23
6	10	-30	4
7	10*	-8	1
8	8	93	-119
9	10	-48	5
10	10	-52	-6
98-4*			




	Val	X(mm)	Y(mm)
1	10	-33	-27
2	10	-28	25
3	10*	8	5
4	10	6	44
5	10	22	-28
6	10*	-14	-21
7	10*	15	-3
8	10*	19	14
9	9	45	-34
10	9	-37	-40
98-4*			

9




	Val	X(mm)	Y(mm)
1	9	63	-68
2	9	74	-8
3	10	31	11
4	9	-82	-13
5	9	-13	-59
6	9	-11	-81
7	9	96	-16
8	10	29	15
9	9	56	39
10	9	-76	19
92-0*			

9



	Val	X(mm)	Y(mm)
1	10*	17	-3
2	10	-27	-32
3	10	-47	-11
4	9	-55	13
5	10*	27	7
6	10	26	29
7	9	-76	-4
8	10	52	-2
9	10*	4	-1
10	8	-69	-91
96-3*			

11




	Val	X(mm)	Y(mm)
1	7	36	-155
2	8	-129	62
3	9	-63	-58
4	9	16	-57
5	7	108	117
6	8	136	-24
7	9	45	-31
8	10	27	-43
9	9	28	73
10	9	38	-61
85-0*			

11




	Val	X(mm)	Y(mm)
1	9	-10	-61
2	9	-44	-75
3	9	84	-6
4	9	11	74
5	10*	-23	-1
6	9	28	98
7	9	-69	-3
8	8	124	82
9	10	27	-21
10	9	68	77
91-1*			

11




Val	X(mm)	Y(mm)
1	9	-94 -18
2	9	-9 -86
3	9	-60 79
4	5	271 -24
5	0	378 -480
6	10	19 47
7	5	-276 45
8	7	-73 147
9	7	-131 94
10	8	30 -141
69-0*		


11 1




Val	X(mm)	Y(mm)
1	6	217 -14
2	9	-59 -1
3	6	-159 138
4	6	124 -206
5	4	-274 200
6	9	27 -98
7	9	12 -60
8	5	-49 261
9	6	-219 67
10	9	-8 69
69-0*		




	Val	X(mm)	Y(mm)
1	10*	-3	20
2	10	-31	-39
3	7	-190	30
4	8	139	-15
5	6	233	36
6	8	118	-36
7	8	-69	-103
8	9	58	20
9	10*	-2	3
10	9	-0	90
85-2*			




	Val	X(mm)	Y(mm)
1	8	-114	12
2	10	-32	24
3	9	-75	5
4	9	-88	33
5	8	90	-69
6	10	37	23
7	10	-35	38
8	10	27	38
9	10*	-16	-13
10	8	25	-114
92-1*			




	Val	X(mm)	Y(mm)
1	8	124	-7
2	8	130	49
3	7	167	86
4	6	-217	88
5	8	-53	95
6	9	68	28
7	9	-66	44
8	6	215	-39
9	8	95	-65
10	8	94	80
77-0*			




	Val	X(mm)	Y(mm)
1	8	-6	-133
2	8	139	10
3	10*	21	15
4	9	-2	-69
5	8	107	-8
6	7	155	116
7	9	44	-42
8	6	250	-19
9	6	249	19
10	9	-35	55
80-1*			




	Val	X(mm)	Y(mm)
1	9	75	6
2	8	115	33
3	10	35	-20
4	9	75	-51
5	9	-53	23
6	10	33	21
7	8	82	96
8	8	19	109
9	10	27	19
10	8	-143	3
89-0*			



	Val	X(mm)	Y(mm)
1	9	62	40
2	9	-86	28
3	8	110	36
4	10	-25	35
5	9	67	22
6	10	21	37
7	10	28	18
8	9	-69	11
9	10	-31	-20
10	7	-174	-33
91-0*			




	Val	X(mm)	Y(mm)
1	10	37	8
2	7	-88	-146
3	9	-55	30
4	9	54	43
5	8	112	-94
6	8	103	45
7	10	-36	-17
8	9	69	-42
9	7	-136	127
10	10*	-17	-6
87-1*			




	Val	X(mm)	Y(mm)
1	8	134	-27
2	10	-36	26
3	8	-139	40
4	10	-26	-46
5	4	123	-306
6	9	34	62
7	9	56	17
8	10	-5	41
9	9	-44	53
10	9	73	-38
86-0*			






	Val	X(mm)	Y(mm)
1	10	-41	9
2	10	-24	40
3	8	25	117
4	10*	16	17
5	9	-24	-52
6	9	88	19
7	10	-17	37
8	10	-36	21
9	9	-45	77
10	10	9	47
95-1*			




	Val	X(mm)	Y(mm)
1	9	92	5
2	10*	11	13
3	10*	-24	8
4	9	-66	29
5	9	-36	61
6	8	-128	75
7	8	10	107
8	9	-64	-13
9	9	-74	20
10	10	-8	31
91-2*			

16




Val	X(mm)	Y(mm)
1	8	47 135
2	7	-192 30
3	7	187 52
4	4	-305 20
5	5	-234 154
6	8	-126 34
7	9	-28 73
8	7	127 113
9	9	79 -36
10	8	131 -58
72-0*		


16




Val	X(mm)	Y(mm)
1	5	-82 -274
2	7	-146 -101
3	3	-403 -8
4	9	-90 -2
5	9	-55 -82
6	9	-90 34
7	5	239 117
8	7	166 7
9	6	45 -205
10	9	4 77
69-0*		




	Val	X(mm)	Y(mm)
1	10	46	-4
2	9	-68	15
3	9	76	19
4	10*	28	6
5	10	-40	6
6	10	29	-27
7	10	15	27
8	9	-2	55
9	10	26	35
10	10	28	20
97-1*			




	Val	X(mm)	Y(mm)
1	10	16	42
2	10	-18	26
3	10*	-9	4
4	10	-43	-17
5	9	-52	53
6	9	26	99
7	9	-17	-60
8	9	60	76
9	9	-45	45
10	8	-81	107
93-1*			




Val	X(mm)	Y(mm)
1	4	-143 275
2	7	35 -199
3	9	78 -17
4	9	24 75
5	9	-89 -49
6	5	12 265
7	9	-55 87
8	9	63 -59
9	8	-85 106
10	8	16 -139
77-0*		




Val	X(mm)	Y(mm)
1	8	105 25
2	9	-68 51
3	9	-76 51
4	8	-88 -102
5	9	-74 41
6	6	-62 -215
7	10	-38 8
8	8	139 66
9	9	13 97
10	9	-51 71
85-0*		




	Val	X(mm)	Y(mm)
1	8	132	39
2	10	33	23
3	8	75	-92
4	9	-37	-41
5	10	5	-53
6	9	-61	35
7	8	141	-30
8	8	71	90
9	10	-11	43
10	8	105	10
88-0*			



	Val	X(mm)	Y(mm)
1	10	33	3
2	9	56	48
3	9	66	46
4	8	126	28
5	9	-59	8
6	9	0	-75
7	9	-95	-32
8	7	-180	-34
9	8	-101	-84
10	7	-150	-51
85-0*			



	Val	X(mm)	Y(mm)
1	10*	17	1
2	9	-99	26
3	10*	14	2
4	10	10	-38
5	8	108	22
6	8	116	-42
7	10	24	-35
8	8	142	-14
9	10	24	-32
10	9	-23	-65
92-2*			




	Val	X(mm)	Y(mm)
1	6	-166	127
2	8	-89	87
3	10	-9	-53
4	8	-111	45
5	8	91	-73
6	10	30	24
7	8	18	121
8	8	5	-106
9	8	92	93
10	10	-41	17
84-0*			

23




	Val	X(mm)	Y(mm)
1	8	94	-57
2	10	-5	53
3	8	21	152
4	8	-87	119
5	10	27	13
6	9	90	-1
7	8	104	47
8	9	77	26
9	8	-13	153
10	8	121	-79
86-0*			


23



	Val	X(mm)	Y(mm)
1	0	0	0
2	7	138	110
3	9	-100	-2
4	10*	-11	9
5	10*	-5	13
6	9	57	44
7	7	156	34
8	9	62	-12
9	8	-113	37
10	9	-70	26
78-2*			



Val	X(mm)	Y(mm)
1	6	243 -11
2	9	-37 81
3	9	63 3
4	5	188 -198
5	6	205 89
6	10	-29 -19
7	8	64 -83
8	8	-76 -116
9	9	-22 53
10	8	106 -36
78-0*		




Val	X(mm)	Y(mm)
1	7	-2 183
2	8	-77 -77
3	9	1 75
4	9	70 62
5	9	-77 -11
6	9	46 -76
7	9	-43 -40
8	10*	12 24
9	9	-7 -99
10	8	113 -57
87-1*		







	Val	X(mm)	Y(mm)
1	9	64	75
2	9	-49	87
3	8	-146	22
4	7	-139	-72
5	9	-49	35
6	8	-1	135
7	8	-76	-100
8	10	43	25
9	8	12	-129
10	10	-23	-28
86-0*			




	Val	X(mm)	Y(mm)
1	7	-182	-40
2	9	34	49
3	6	228	-29
4	8	-60	-121
5	8	-83	-62
6	6	-221	-41
7	7	-92	-175
8	10	30	-34
9	9	54	-42
10	10	-29	-20
80-0*			




	Val	X(mm)	Y(mm)
1	9	76	-38
2	10	-37	-35
3	6	-137	-160
4	8	-109	1
5	9	-75	-50
6	10*	-11	22
7	9	-88	15
8	10	3	-52
9	10	1	48
10	10	-48	-11
	91-1*		




	Val	X(mm)	Y(mm)
1	9	-11	69
2	10*	15	-10
3	8	-59	90
4	10	-30	-29
5	9	-0	-86
6	6	-204	-36
7	9	-67	-33
8	7	-200	-10
9	9	38	88
10	8	-107	41
	85-1*		



Val	X(mm)	Y(mm)
1	6	239 3
2	8	73 96
3	8	127 -79
4	6	191 -92
5	8	-10 -145
6	8	-52 116
7	5	294 11
8	6	213 0
9	9	0 78
10	10*	14 -1
74-1*		




Val	X(mm)	Y(mm)
1	8	99 81
2	10*	-9 23
3	8	111 75
4	6	-217 114
5	6	-155 161
6	7	-190 59
7	6	73 -223
8	6	136 167
9	8	123 2
10	9	-40 78
74-1*		




	Val	X(mm)	Y(mm)
1	6	169	181
2	8	120	93
3	8	76	82
4	7	-50	153
5	6	206	60
6	9	-55	35
7	10	50	-17
8	8	55	92
9	5	-258	105
10	10	37	-6
77-0*			

28




	Val	X(mm)	Y(mm)
1	9	21	-63
2	8	-95	59
3	10	42	12
4	10	-23	33
5	10*	-11	25
6	9	-46	72
7	9	-23	-51
8	10*	-8	25
9	9	-83	23
10	9	52	-60
93-2*			


28




	Val	X(mm)	Y(mm)
1	9	103	3
2	9	-16	88
3	7	154	-132
4	10	8	40
5	9	-46	-31
6	10	10	27
7	10	6	-53
8	9	93	-12
9	10	53	-8
10	10	16	38
93-0*			




Val	X(mm)	Y(mm)
1	9	-100 6
2	8	86 61
3	8	69 -105
4	6	-194 100
5	10	25 45
6	9	54 -34
7	9	36 53
8	10	1 -32
9	9	-2 81
10	5	263 35
83-0*		





Val	X(mm)	Y(mm)
1	10*	-11 -22
2	9	7 97
3	9	-61 66
4	7	-62 193
5	7	192 -38
6	10	-49 -13
7	9	-94 18
8	9	84 -3
9	10	22 -47
10	10*	11 4
90-2*		




	Val	X(mm)	Y(mm)
1	9	34	-52
2	9	26	59
3	7	151	-60
4	10	27	-16
5	7	166	17
6	10*	18	13
7	9	-56	-37
8	9	24	71
9	10	39	26
10	9	75	-32
89-1*			




	Val	X(mm)	Y(mm)
1	8	-74	-83
2	9	31	-47
3	8	105	62
4	10*	15	-20
5	6	196	86
6	7	183	26
7	7	-188	1
8	8	-127	-5
9	10	2	39
10	9	-47	-43
82-1*			








	Val	X(mm)	Y(mm)
1	9	-22	62
2	10*	-13	24
3	8	106	40
4	9	8	-65
5	9	-19	63
6	10	27	14
7	9	-28	-74
8	9	57	-18
9	8	128	-44
10	9	-74	-40
	90-1*		




	Val	X(mm)	Y(mm)
1	9	10	-64
2	9	4	55
3	9	69	-4
4	9	18	-72
5	9	41	-54
6	10	11	-32
7	10	49	-1
8	10*	-6	-23
9	10	22	21
10	9	72	-43
	94-1*		

34 °



	Val	X(mm)	Y(mm)
1	10	31	-6
2	7	183	85
3	9	96	6
4	10	-22	-38
5	8	98	-61
6	9	-92	30
7	8	107	51
8	10	-48	8
9	9	3	91
10	10	43	-28
90-0*			

34 °



	Val	X(mm)	Y(mm)
1	9	66	3
2	9	45	54
3	7	41	-162
4	7	-58	164
5	8	26	111
6	6	-226	83
7	8	71	-108
8	9	-59	23
9	9	19	-51
10	9	-24	64
81-0*			