






	Val	X(mm)	Y(mm)
1	10	46	-9
2	10*	12	10
3	10	13	47
4	9	71	15
5	8	-2	-110
6	10	35	-35
7	10	-18	-41
8	9	-42	79
9	10	-47	25
10	10*	10	-16
96-2*			



	Val	X(mm)	Y(mm)
1	10*	-2	-9
2	10	35	1
3	9	-58	-24
4	10	-16	-45
5	9	-72	32
6	9	-32	62
7	9	75	35
8	10*	-4	15
9	10*	-20	-18
10	10	39	1
96-3*			



	Val	X(mm)	Y(mm)
1	10	19	26
2	10	39	-18
3	9	-75	-13
4	9	44	-32
5	9	-3	-61
6	9	-64	81
7	10	24	21
8	10*	-21	-7
9	8	-43	-105
10	9	-66	-21
93-1*			




	Val	X(mm)	Y(mm)
1	9	-85	-14
2	9	-95	-26
3	9	-48	41
4	9	40	-69
5	8	120	46
6	9	79	-10
7	10	18	-38
8	9	-86	17
9	8	-119	54
10	9	53	24
89-0*			

12




	Val	X(mm)	Y(mm)
1	9	64	64
2	10*	14	-18
3	10	21	31
4	9	60	-28
5	9	-58	21
6	10	-38	9
7	10*	23	-1
8	10	27	29
9	9	23	82
10	9	-1	76
95-2*			

12




	Val	X(mm)	Y(mm)
1	10	13	-34
2	10	10	35
3	9	-41	67
4	10	6	42
5	9	24	-88
6	9	-54	20
7	9	8	57
8	10*	6	23
9	10	40	16
10	9	-27	51
95-1*			



Val	X(mm)	Y(mm)
1	9	87 -30
2	8	48 -101
3	8	96 39
4	9	6 -67
5	10	39 0
6	10	-1 45
7	7	-177 58
8	9	-61 45
9	8	-119 93
10	8	-58 95

86-0*



Val	X(mm)	Y(mm)
1	9	42 81
2	9	-50 49
3	9	72 -71
4	9	76 -43
5	9	-22 64
6	10*	-24 -12
7	10	-27 -42
8	9	-49 55
9	9	-35 95
10	10*	11 24


93-2*

13




	Val	X(mm)	Y(mm)
1	8	6	-122
2	10	32	-11
3	9	10	-66
4	9	34	-66
5	10	-47	-13
6	10*	5	-10
7	8	121	-58
8	10	20	-22
9	10	4	-29
10	9	16	-71
93-1*			

13




	Val	X(mm)	Y(mm)
1	10*	26	7
2	10*	9	13
3	9	63	-15
4	9	15	-62
5	10	26	34
6	10	-43	14
7	10*	-23	-9
8	10*	20	10
9	8	121	16
10	10*	12	-20
96-5*			

13




	Val	X(mm)	Y(mm)
1	9	34	-51
2	9	24	-60
3	8	148	16
4	9	-45	45
5	10	34	9
6	10	37	-12
7	8	72	-84
8	10	-9	36
9	10*	-21	5
10	10	35	-1
	93-1*		

13




	Val	X(mm)	Y(mm)
1	8	95	-48
2	9	56	0
3	9	81	-26
4	10*	18	1
5	10	-18	-27
6	8	98	-62
7	10	34	12
8	9	82	-56
9	9	-66	-5
10	10	45	12
	92-1*		

14




	Val	X(mm)	Y(mm)
1	10	10	28
2	10	-7	30
3	8	113	16
4	10	-26	46
5	9	67	-32
6	9	-84	12
7	10	26	24
8	10	-34	-18
9	9	-44	47
10	10	-48	11
95-0*			

14




	Val	X(mm)	Y(mm)
1	10*	10	6
2	10	28	22
3	10	52	10
4	9	36	92
5	10	36	12
6	10	-1	-44
7	10	-14	49
8	10*	-3	25
9	8	106	62
10	10*	-17	18
97-3*			

14




	Val	X(mm)	Y(mm)
1	9	43	36
2	10*	13	15
3	9	58	24
4	9	-79	27
5	10*	-17	7
6	10	12	-41
7	10*	-5	16
8	9	51	35
9	10*	26	9
10	9	94	36
95-4*			


14




	Val	X(mm)	Y(mm)
1	8	111	45
2	8	53	-118
3	10	8	31
4	9	-35	52
5	9	55	11
6	9	60	-10
7	9	-87	46
8	9	-78	-9
9	9	62	1
10	9	-68	-18
89-0*			




	Val	X(mm)	Y(mm)
1	10*	24	9
2	10*	-1	-22
3	10	-37	23
4	10	34	-3
5	10*	21	-17
6	8	-143	-9
7	9	58	75
8	9	-56	-61
9	9	-69	25
10	9	91	27
94-3*			




	Val	X(mm)	Y(mm)
1	10	-7	-45
2	10*	13	0
3	9	77	-8
4	9	-33	96
5	9	-101	9
6	9	-42	64
7	8	94	-61
8	9	51	-73
9	10	1	-32
10	7	-59	147
90-1*			




	Val	X(mm)	Y(mm)
1	10*	-16	-20
2	10	49	6
3	9	-87	-21
4	7	-129	114
5	9	-89	39
6	9	-79	42
7	9	36	69
8	8	-102	36
9	10	-53	-0
10	10	29	-27
91-1*			



	Val	X(mm)	Y(mm)
1	10	-17	38
2	9	-26	81
3	9	85	-55
4	9	-48	-50
5	10	48	-10
6	10	-23	33
7	9	25	72
8	10	-42	-9
9	9	-36	59
10	9	13	66
94-0*			



	Val	X(mm)	Y(mm)
1	9	58	77
2	10	29	-17
3	10	-39	-8
4	9	55	-59
5	9	-80	3
6	10	31	10
7	9	21	81
8	10	2	32
9	8	132	78
10	7	-17	166
	91-0*		




	Val	X(mm)	Y(mm)
1	9	27	69
2	9	46	29
3	10	13	-47
4	8	-22	-117
5	10	28	-26
6	9	-81	17
7	10	-53	6
8	10*	12	-10
9	9	70	-4
10	10	1	-38
	94-1*		

16




	Val	X(mm)	Y(mm)
1	10	-8	39
2	10*	-15	-16
3	9	64	-35
4	9	50	26
5	9	-63	21
6	9	20	84
7	9	68	31
8	10*	-0	19
9	9	0	-72
10	10*	13	14
94-3*			

16




	Val	X(mm)	Y(mm)
1	9	45	30
2	8	65	102
3	10	-30	-7
4	10	16	29
5	9	60	24
6	9	-81	-2
7	10	22	32
8	10	-11	44
9	9	-63	-8
10	9	68	58
93-0*			

17



	Val	X(mm)	Y(mm)
1	10	23	20
2	10	-32	-38
3	10*	2	8
4	10	-44	-31
5	9	10	-63
6	10*	0	15
7	9	-57	50
8	10	-40	-18
9	10	-1	-33
10	10	25	-44
98-2*			

17




	Val	X(mm)	Y(mm)
1	10	-9	-34
2	9	-52	-14
3	10*	11	-23
4	10*	-4	16
5	10	-43	-21
6	10	36	-1
7	9	56	4
8	10*	17	9
9	10*	-18	17
10	10*	-24	-1
98-5*			

17



	Val	X(mm)	Y(mm)
1	9	43	-56
2	9	68	-56
3	10*	-0	-4
4	10	-5	-48
5	10	38	-0
6	10	27	-34
7	10*	-16	-24
8	10*	5	19
9	10	13	-35
10	9	-49	-41
97-3*			

17




	Val	X(mm)	Y(mm)
1	10	-31	42
2	10	30	-1
3	10	28	-17
4	10	-25	-26
5	10	-26	40
6	10*	23	13
7	9	-50	37
8	9	-24	-54
9	9	85	25
10	9	-20	-58
96-1*			

18




Val	X(mm)	Y(mm)
1	8	-76 73
2	9	-65 64
3	8	60 -141
4	8	57 -119
5	9	45 -90
6	8	75 -127
7	9	47 -87
8	9	54 88
9	8	107 -20
10	9	35 61
85-0*		


18




Val	X(mm)	Y(mm)
1	7	-6 159
2	9	58 17
3	10*	4 27
4	9	58 31
5	9	81 20
6	7	-77 155
7	7	-170 61
8	9	90 9
9	9	59 17
10	10	49 -9
86-1*		




	Val	X(mm)	Y(mm)
1	9	13	91
2	8	105	-51
3	9	43	-42
4	9	-57	44
5	9	40	42
6	10	-1	-33
7	8	87	77
8	8	-139	-56
9	8	-133	75
10	8	-142	-3
86-0*			



	Val	X(mm)	Y(mm)
1	8	-100	114
2	10	-26	46
3	8	-151	3
4	10	-30	7
5	7	-173	37
6	9	-70	-6
7	9	-2	77
8	5	-102	239
9	10	-36	27
10	8	-50	110
84-0*			




	Val	X(mm)	Y(mm)
1	10	46	25
2	8	15	-106
3	10*	4	21
4	9	2	58
5	9	2	-77
6	8	-57	-117
7	9	31	-90
8	9	-42	-74
9	10*	-2	-12
10	9	32	-64
91-2*			




	Val	X(mm)	Y(mm)
1	10	47	-20
2	9	-29	-61
3	9	-42	38
4	9	-62	-7
5	10*	8	-7
6	10	-47	23
7	10	28	-27
8	10	20	-43
9	10	-30	21
10	9	102	16
96-1*			

20




	Val	X(mm)	Y(mm)
1	10*	19	4
2	9	87	16
3	9	4	-77
4	9	8	-58
5	10	16	43
6	9	61	-20
7	9	84	15
8	9	3	-57
9	10*	-3	10
10	10	26	15
94-2*			

20




	Val	X(mm)	Y(mm)
1	10	-5	50
2	7	-135	96
3	10*	6	17
4	9	-14	57
5	10	-48	-12
6	8	-93	66
7	9	-66	49
8	8	-73	86
9	8	-111	29
10	9	-93	2
88-1*			

21




	Val	X(mm)	Y(mm)
1	10	12	44
2	8	32	131
3	9	-43	73
4	8	-26	146
5	10	-1	46
6	8	119	11
7	9	102	-18
8	10	45	20
9	8	48	108
10	10*	-9	3
90-1*			

21




	Val	X(mm)	Y(mm)
1	10	-28	41
2	10	-33	-12
3	9	36	53
4	8	98	-111
5	10*	4	-10
6	10	-6	49
7	10*	-15	11
8	10	11	40
9	10*	4	16
10	8	79	89
95-3*			

21




	Val	X(mm)	Y(mm)
1	9	8	-97
2	8	31	-113
3	10*	15	-23
4	8	65	85
5	9	-14	-64
6	9	-52	74
7	10*	19	15
8	8	21	107
9	9	77	53
10	9	3	104
89-2*			


21⁴




	Val	X(mm)	Y(mm)
1	9	-90	-9
2	9	-49	89
3	8	-101	35
4	8	-93	97
5	9	71	-5
6	8	-36	108
7	10	-10	37
8	8	113	-29
9	7	10	186
10	9	53	56
85-0*			




	Val	X(mm)	Y(mm)
1	9	98	18
2	9	-82	49
3	9	56	-28
4	9	-17	60
5	10	25	26
6	10	41	-20
7	8	105	-49
8	9	78	14
9	9	12	-59
10	10	32	6
92-0*			



	Val	X(mm)	Y(mm)
1	10	22	-32
2	10	30	30
3	10	-36	25
4	10	30	3
5	10*	-12	-6
6	10*	11	3
7	10	46	-2
8	9	-54	-75
9	10	42	5
10	10*	26	0
99-3*			




	Val	X(mm)	Y(mm)
1	9	-2	-69
2	10*	17	12
3	9	-37	46
4	10	27	-43
5	10	31	5
6	8	-9	107
7	9	42	72
8	9	-43	41
9	10	-16	50
10	10*	12	-6
94-2*			




	Val	X(mm)	Y(mm)
1	9	37	-59
2	8	27	106
3	10	-32	-8
4	10*	-21	-19
5	10	20	-22
6	9	-44	-53
7	9	-2	-55
8	10	46	-14
9	10*	-5	-19
10	10*	-1	8
95-3*			

23




	Val	X(mm)	Y(mm)
1	9	67	71
2	7	145	-141
3	10	-32	42
4	9	84	19
5	10	47	14
6	10*	24	8
7	8	80	86
8	9	-4	84
9	9	62	40
10	9	58	-49
90-1*			


23




	Val	X(mm)	Y(mm)
1	6	-97	208
2	9	-89	-14
3	10	-24	-45
4	9	71	-10
5	8	-135	-1
6	8	-88	99
7	10	23	35
8	9	33	-56
9	10*	12	18
10	8	112	-100
87-1*			




	Val	X(mm)	Y(mm)
1	8	-47	-136
2	8	76	76
3	10*	-8	-6
4	9	-31	-63
5	8	-111	-30
6	8	107	-47
7	8	-131	34
8	8	-119	56
9	9	-57	-49
10	9	-62	48
85-1*			



	Val	X(mm)	Y(mm)
1	8	-128	15
2	8	-141	24
3	9	-42	52
4	8	131	40
5	9	90	16
6	9	44	58
7	7	-168	63
8	9	-81	7
9	10	-24	19
10	10	31	33
87-0*			



	Val	X(mm)	Y(mm)
1	8	126	-34
2	9	68	-38
3	10	16	33
4	10	-26	38
5	10	27	-17
6	9	-61	-60
7	10*	-3	27
8	10	-7	-52
9	9	64	10
10	9	55	77
94-1*			




	Val	X(mm)	Y(mm)
1	10	-22	-23
2	9	42	-40
3	8	80	-96
4	10	-44	-7
5	10	-7	36
6	9	14	-56
7	8	66	-116
8	9	-40	46
9	10*	11	-14
10	10*	-3	-11
93-2*			

24




	Val	X(mm)	Y(mm)
1	10*	4	-22
2	9	83	0
3	9	-23	-64
4	8	115	-25
5	9	71	-60
6	9	-77	-43
7	10	26	43
8	9	-48	-53
9	8	-69	-84
10	9	-47	-35
90-1*			

24




	Val	X(mm)	Y(mm)
1	9	13	73
2	9	-21	89
3	9	-71	13
4	8	-21	-115
5	7	-168	60
6	10	-34	21
7	10	39	-2
8	8	118	-36
9	9	91	6
10	10	41	28
89-0*			

25




	Val	X(mm)	Y(mm)
1	9	-80	-51
2	10	-25	-43
3	7	53	-147
4	9	32	73
5	10*	8	-25
6	9	-61	-48
7	9	71	68
8	9	-86	53
9	9	87	55
10	10	17	-38
91-1*			


25




	Val	X(mm)	Y(mm)
1	7	158	-52
2	9	-61	-10
3	6	-181	-99
4	8	-88	94
5	7	-110	-146
6	9	14	63
7	10*	-6	13
8	9	64	-31
9	10	-39	12
10	10	3	-42
85-1*			




	Val	X(mm)	Y(mm)
1	10	49	13
2	6	158	140
3	7	155	37
4	9	-21	-60
5	9	-60	-57
6	9	21	-64
7	7	-16	-158
8	9	-39	-67
9	8	-25	-115
10	9	-75	64
83-0*			



	Val	X(mm)	Y(mm)
1	8	-55	-98
2	9	54	34
3	9	85	3
4	10	14	52
5	7	158	5
6	9	42	76
7	8	-131	-57
8	9	53	-25
9	7	-156	38
10	7	-183	17
83-0*			




	Val	X(mm)	Y(mm)
1	8	33	-126
2	10	-4	38
3	9	57	50
4	7	158	-32
5	8	71	-81
6	10*	12	-22
7	8	38	119
8	9	-43	46
9	9	79	-9
10	10	39	28
88-1*			




	Val	X(mm)	Y(mm)
1	9	60	-40
2	9	-17	77
3	9	65	-33
4	9	25	69
5	9	-5	-54
6	8	-70	103
7	9	62	-56
8	10	-3	30
9	9	70	31
10	8	-112	-20
89-0*			

26






	Val	X(mm)	Y(mm)
1	9	68	-6
2	10*	-18	-22
3	8	112	-11
4	8	134	-5
5	8	-119	-58
6	9	-30	-91
7	9	-66	-70
8	10*	10	-21
9	7	-152	34
10	10	-22	28
88-2*			

26




	Val	X(mm)	Y(mm)
1	10	-28	-24
2	10	18	-46
3	9	-94	-11
4	9	-94	8
5	8	-102	50
6	9	0	69
7	9	-57	-39
8	10	-46	-21
9	9	36	-44
10	10	-49	18
93-0*			






Val	X(mm)	Y(mm)
1	8	92 -81
2	9	-57 -26
3	9	20 53
4	9	5 -92
5	6	-223 -33
6	8	109 -97
7	9	-101 16
8	8	-128 0
9	10*	-17 -1
10	9	-47 -79
85-1*		



Val	X(mm)	Y(mm)
1	8	-87 88
2	8	-123 -2
3	9	22 88
4	8	-117 42
5	10	-43 -32
6	4	64 -321
7	8	-67 -102
8	9	-37 -61
9	9	25 -85
10	8	-82 -77
81-0*		

28




	Val	X(mm)	Y(mm)
1	10	25	-20
2	10	17	-43
3	8	96	-52
4	10	-38	4
5	10*	18	14
6	10	49	-12
7	10*	4	-17
8	10	39	23
9	9	79	16
10	10*	14	10
97-3*			

28




	Val	X(mm)	Y(mm)
1	9	-50	22
2	10	-7	42
3	10	32	-9
4	10	-16	-37
5	9	25	-57
6	9	46	-65
7	9	-60	40
8	10*	-1	10
9	9	-40	56
10	9	-56	-6
94-1*			

28




	Val	X(mm)	Y(mm)
1	10*	8	-15
2	9	-67	38
3	10	-44	25
4	10*	-9	-18
5	10*	18	-19
6	9	47	36
7	9	25	54
8	8	115	-55
9	10	6	-49
10	9	5	-70
94-3*			


28



	Val	X(mm)	Y(mm)
1	8	-100	61
2	10	27	34
3	10	28	-10
4	10	-17	24
5	10	32	-26
6	10*	15	-1
7	10	36	-30
8	10	-11	51
9	10*	-4	26
10	9	-44	-32
97-2*			




	Val	X(mm)	Y(mm)
1	9	25	78
2	9	74	-8
3	10	35	22
4	9	-39	-56
5	9	-52	-62
6	10	-49	10
7	9	-17	70
8	10	18	-51
9	9	-11	-57
10	9	43	-52
93-0*			




	Val	X(mm)	Y(mm)
1	10	-45	-11
2	8	128	-2
3	10*	-27	-1
4	9	-43	70
5	10*	-0	-28
6	8	-19	106
7	10*	-23	-0
8	10*	-21	-12
9	8	-36	104
10	9	-82	11
92-4*			

29'




	Val	X(mm)	Y(mm)
1	8	-104	61
2	10	53	7
3	9	61	45
4	10*	-10	24
5	10	15	50
6	10	25	27
7	10	23	21
8	9	13	53
9	7	37	-155
10	9	7	100
92-1*			


29'




	Val	X(mm)	Y(mm)
1	9	40	44
2	8	74	113
3	9	-63	11
4	9	-54	-46
5	9	-55	10
6	8	92	58
7	9	-83	61
8	9	-79	16
9	10	-14	-33
10	9	72	58
89-0*			




	Val	X(mm)	Y(mm)
1	9	68	-47
2	9	58	33
3	10	41	-3
4	9	74	-35
5	7	112	-107
6	9	71	-6
7	9	46	-44
8	9	-86	-34
9	10	-25	40
10	9	88	-38
	90-0*		



	Val	X(mm)	Y(mm)
1	10	44	15
2	9	49	-62
3	8	63	-84
4	9	24	79
5	8	63	-87
6	10*	-14	-15
7	9	74	12
8	9	84	3
9	10*	1	6
10	8	56	-134
	90-2*		



	Val	X(mm)	Y(mm)
1	7	157	13
2	9	-63	-61
3	9	-75	-0
4	9	6	64
5	10	-28	-31
6	10	-35	7
7	9	-62	58
8	9	-74	0
9	7	183	31
10	9	-9	60
88-0*			




	Val	X(mm)	Y(mm)
1	9	-38	84
2	9	-37	51
3	9	31	-82
4	9	-14	92
5	8	90	-64
6	7	147	128
7	8	101	-29
8	9	87	-11
9	8	96	-45
10	9	56	65
85-0*			

32




	Val	X(mm)	Y(mm)
1	10	-48	-4
2	9	-3	-81
3	8	0	-114
4	9	36	-53
5	10	42	-2
6	10*	13	-6
7	9	-47	52
8	9	83	-6
9	9	63	-6
10	9	67	-35
92-1*			


32



	Val	X(mm)	Y(mm)
1	10*	14	-10
2	10	13	-31
3	10*	3	1
4	10	-28	38
5	10*	-17	17
6	10*	15	-24
7	10	1	-32
8	10	-7	-47
9	9	66	-14
10	8	-98	35
97-4*			




	Val	X(mm)	Y(mm)
1	9	55	-75
2	10	33	10
3	9	82	10
4	10	46	-2
5	10	-12	48
6	9	-30	-50
7	10	26	19
8	9	27	51
9	10	27	31
10	10	-19	-27
96-0*			




	Val	X(mm)	Y(mm)
1	9	-57	-68
2	9	-86	31
3	10	-22	45
4	9	-29	-80
5	10	-24	46
6	10	-31	-28
7	10	4	-45
8	10	14	35
9	10	-28	-22
10	10*	-0	-9
97-1*			

34




	Val	X(mm)	Y(mm)
1	10	9	-51
2	9	57	-11
3	10*	-21	1
4	10*	-4	-22
5	10	-12	-33
6	10*	2	-10
7	9	66	42
8	10*	5	9
9	10	6	32
10	9	62	-2
97-4*			

34




	Val	X(mm)	Y(mm)
1	10	-27	13
2	10	11	-49
3	9	-74	-33
4	10	28	-44
5	10	14	39
6	9	-52	49
7	9	-36	62
8	9	30	-50
9	9	-2	-59
10	10	32	-10
95-0*			

34



	Val	X(mm)	Y(mm)
1	10*	18	13
2	10	39	22
3	10	52	8
4	9	62	70
5	10	26	43
6	8	101	-27
7	9	-90	-40
8	10	-34	-5
9	10	47	10
10	10*	-28	-1
96-2*			

34



	Val	X(mm)	Y(mm)
1	9	-61	9
2	9	-15	-72
3	10	32	-18
4	10	-25	-47
5	10*	-9	-2
6	10	-36	-2
7	8	89	56
8	10	38	-3
9	10*	10	21
10	10*	-7	-6
96-3*			